


Line Scan Lights SBS-LSL series



Products Features

- ► Special optical structure design.
- Extremely brightness with 2 million lux.
- ► The focused light bring good image result of line scan application.

Model Description




Applications the light be used for

- Printing material defects inspection.
- •LCD surface defects inspection.
- PCB solder joint and defects inspection.
- Tobacco package box and shape detection.
- Box selection in the logistic industry.


Customization

- Length Power Color Connector
- Cable lengthMounting

Standard Line Scan Lights Illumination



Components





$SBS\text{-}LSL\ series\ vision\ solution$

Parameter

		Power	Power				
Item	Model	consumption	consumption	Connector type	Option	Extension cable	Recommended Controller
1	SBS-LSL50	Red Color Recheck	(W,B,G) 24V/7.0W	3 Pin	Diffuser	1m/3m/5m	
1							
2	SBS-LSL100	Recheck	24V/14.0W	3 Pin	Diffuser	1 m/3 m/5 m	
3	SBS-LSL150	Recheck	24V/21.0W	3 Pin	Diffuser	1m/3m/5m	
4	SBS-LSL200	Recheck	24V/28.0W	3 Pin	Diffuser	1m/3m/5m	
5	SBS-LSL250	Recheck	24V/35.0W	3 Pin	Diffuser	1m/3m/5m	
6	SBS-LSL300	Recheck	24V/42.0W	3 Pin	Diffuser	1m/3m/5m	
7	SBS-LSL350	Recheck	24V/49.0W	5 Pin	Diffuser	1m/3m/5m	
8	SBS-LSL400	Recheck	24V/56.0W	5 Pin	Diffuser	1m/3m/5m	
9	SBS-LSL450	Recheck	24V/63.0W	5 Pin	Diffuser	1m/3m/5m	
10	SBS-LSL500	Recheck	24V/70.0W	5 Pin	Diffuser	1m/3m/5m	
11	SBS-LSL550	Recheck	24V/77.0W	5 Pin	Diffuser	1m/3m/5m	
12	SBS-LSL600	Recheck	24V/84.0W	5 Pin	Diffuser	1m/3m/5m	
13	SBS-LSL650	Recheck	24V/91.0W	5 Pin	Diffuser	1m/3m/5m	
14	SBS-LSL700	Recheck	24V/98.0W	5 Pin	Diffuser	1m/3m/5m	
15	SBS-LSL750	Recheck	24V/105.0W	5 Pin	Diffuser	1m/3m/5m	SBS-DCH24/
16	SBS-LSL800	Recheck	24V/112.0W	5 Pin	Diffuser	1m/3m/5m	SBS-DCH48
17	SBS-LSL850	Recheck	24V/119.0W	5 Pin	Diffuser	1m/3m/5m	
18	SBS-LSL900	Recheck	24V/126.0W	5 Pin	Diffuser	1m/3m/5m	
19	SBS-LSL950	Recheck	24V/133.0W	5 Pin	Diffuser	1m/3m/5m	
20	SBS-LSL1000	Recheck	24V/140.0W	10 Pin	Diffuser	1m/3m/5m	
21	SBS-LSL1100	Recheck	24V/154.0W	10 Pin	Diffuser	1m/3m/5m	
22	SBS-LSL1200	Recheck	24V/168.0W	10 Pin	Diffuser	1m/3m/5m	
23	SBS-LSL1300	Recheck	24V/182.0W	10 Pin	Diffuser	1m/3m/5m	
24	SBS-LSL1400	Recheck	24V/196.0W	10 Pin	Diffuser	1m/3m/5m	
25	SBS-LSL1500	Recheck	24V/210.0W	10 Pin	Diffuser	1m/3m/5m	•
26	SBS-LSL1600	Recheck	24V/224.0W	10 Pin	Diffuser	1m/3m/5m	
27	SBS-LSL1700	Recheck	24V/238.0W	10 Pin	Diffuser	1m/3m/5m	
28	SBS-LSL1800	Recheck	24V/252.0W	10 Pin	Diffuser	1m/3m/5m	
29	SBS-LSL1900	Recheck	24V/266.0W	10 Pin	Diffuser	1m/3m/5m	
30	SBS-LSL2000	Recheck	24V/280.0W	10 Pin	Diffuser	1m/3m/5m	



vision solution SBS-LSL series

Dimensions(mm)

